



Inflatable Floating Deck

OWNER'S MANUAL



WARNING:

Read carefully and understand all **ASSEMBLY AND OPERATION INSTRUCTIONS** before operating. Failure to follow the safety rules and other basic safety precautions may result in serious personal injury.

Model # BWDK-886

Model # BWDK-76766

Model # BWDK-586

Model # BWDK-76766R

Thank you very much for choosing this Blue Water Toys product! For future reference, please complete the owner's record below:

Model: _____ Purchase Date: _____

Save the receipt, warranty and these instructions. It is important that you read the entire manual to become familiar with this product before you begin using it.

This product is designed for certain applications only. The manufacturer cannot be responsible for issues arising from modification. We strongly recommend this product not be modified and/or used for any application other than that for which it was designed. If you have any questions relative to a particular application, DO NOT use the product until you have first contacted us to determine if it can or should be performed on the product.

For technical questions please call **1-952-953-6140**.

TECHNICAL SPECIFICATIONS

	Max Capacity	Deck Dimensions
BWDK-886	1000 lbs	8' x 8' x 6"
BWDK-76766	1000 lbs	7'6" x 7'6" x 6"
BWDK-586	750lbs	5' x 8' x 6"
BWDK-76766R	1000 lbs	7'6" diameter x 6"

Material	Drop Stitch with Laminated UV Resistant PVC
----------	---

GENERAL SAFETY RULES



WARNING: Read and understand all instructions. Failure to follow all instructions listed below may result in serious injury.



CAUTION: Do not allow persons to operate or assemble this Floating Deck until they have read this manual and have developed a thorough understanding of how the Floating Deck works.



WARNING: The warnings, cautions, and instructions discussed in this instruction manual cannot cover all possible conditions or situations that could occur. It must be understood by the operator that common sense and caution are factors which cannot be built into this product, but must be supplied by the operator.

SAVE THESE INSTRUCTIONS

PERSONAL SAFETY

- **ALWAYS** use extreme caution when using this product. Acting in a careless manner or misusing the product may result in serious injury or death.
- Consult your physician before using this Floating Deck. Use this product only if you are in good physical health. User must know how to swim.
- **DO NOT** exceed the Floating Deck weight capacity. Proper distribution of weight is necessary to ensure proper balance and performance.
- Users are responsible for their own safety and the safety of others when using this product.
- Check your local city and state laws and ordinances for licensing rules.
- Users of this product must be 18 years of age or must have a legal guardian read these warnings and safety precautions. Do not use this product without adult supervision.
- **DO NOT** use this product while under the influence of alcohol, drugs or medications.
- **THIS IS NOT A LIFESAVING DEVICE**
- Users must wear a Coast Guard Approved personal flotation device (PFD) at all times.
- Examine each D-ring after each use, and repair it if there are signs of wear.

FLOATING DECK USE AND CARE WEATHER CONDITIONS AND LOCATION

- Observe Coast Guard rules and regulations when using this product.
- Do not use this product in offshore wind conditions.
- Do not use this product in more than 10 knots of wind. Windy conditions may result in serious injury or death.
- Caution should be used when carrying this product. Carrying the deck in windy conditions may result in serious injury to the users and other nearby.
- Do not use this product in thunderstorms and lightning conditions.
- Do not use the product in conditions that are beyond the user's ability (examples, but not limited to high surf, riptides, currents, or river rapids).
- Do not use this product near other boat traffic, or watercrafts.
- The US Coast Guard has ruled that any large floatation device used outside of the "surf zone" is considered a watercraft. As such when in flat-water streams, lakes, rivers, bays, etc. you must have a USCG approved Life Preserver (PFD) onboard your Deck for each passenger. This "Rule" is being enforced by State and Local authorities nationwide as well. Additionally, **ALWAYS WEAR A Personal Flotation Device** when using this Deck.

CARTON CONTENTS:

As you open the carton, make sure the following are inside:

- Pump with pressure gauge
- Repair kit



INFLATION PROCEDURE:

1. Choose a smooth surface to assemble your Floating Deck.
2. Remove the Deck from the box and unroll it.
3. Attach pressure gauge to hose and then attach pressure gauge to pump.



4. Attach other end of hose to the inflation/deflation valve on the rear of the board as shown below.



5. Stand the pump on hard, level ground and start to pump. The first time you inflate the Floating Deck will require more effort than subsequent inflations.
6. Make sure you keep your hands toward the center of the pump handles when pumping and your feet firmly on the footrests of pump.
7. Pump time varies by user but normally takes 12 to 15 minutes.
8. Adaptors to high volume pumps available for quicker inflation.

We recommend using the Floating Deck at a pressure between 12 - 15 psi. 15 psi gives you the best performance. The final few PSI is the key to getting the maximum performance from your board



WARNING: DO NOT USE AN AIR COMPRESSOR. It will result in damage to the board, and will void all warranties. Maximum air pressure for this product is 15psi. **DO NOT INFLATE BEYOND 15PSI.** Inflatable SUP boards are not warranted against over inflation.

DEFLATION PROCEDURE:

1. When you are ready to deflate your Floating Deck, unscrew the valve cover, gently push down the central valve head.
2. Once the main pressure has decreased, push down all the way and twist the valve head. This will lock the valve open and allow all air to escape from the board while you roll it up for storage.
3. Clean and check the board as well as all the accessories. Make sure the board is completely dry before putting it away. Make sure that no sand or gravel remains inside the Floating Deck or between the hull and the inner chambers. This could result in abrasion or even punctures while storing the Floating Deck.

NOTE: If you leave your Floating Deck exposed to the hot sun, check the pressure and deflate it slightly. The board may become over inflated and stretch the material. The ambient temperature affects the tube's internal pressure; a variation of 1.8 degrees Fahrenheit (1°C) causes a variation of the pressure in the tube of +/- 0.06psi (4mbBar)

REPAIRING SMALL PUNCTURES:

A repair kit comes with your Floating Deck. It contains repair fabric, adhesive and a valve wrench. To make a repair, follow these steps:

1. Cut your patch to extend 2" beyond all edges of the tear. Round the corners of the patch. Square corners are more likely to snag and lead to peeling.
2. Trace the outline of the patch on the damaged surface with a pencil.
3. Clean the surfaces.
4. Apply two even, thin coats of the adhesive provided to both surfaces. Allow the adhesive to dry 5-10 minutes, to the "tacky" not wet, stage.
5. When both of the surfaces are still tacky, you are ready to complete the patch.
6. This is a contact adhesive and once the surfaces touch you cannot reposition the patch, so carefully align it before bonding the two surfaces together.
7. "Roll" the patch onto the board surface to prevent trapping air under the patch.
8. Thoroughly go over the surface of the patch with a roller, edge of the valve wrench or other implement, to apply pressure and ensure a solid bond.
9. Complete curing of the bond will take approximately 24 hours. Do not put air pressure in the chamber before that time.



WARNING:

- Perform all of your repairs in a well ventilated area.
- Avoid inhaling toxic vapors.
- Avoid contact with adhesive.
- Keep all repair materials (glue, solvents, etc.) away from the reach of children.

STORAGE AND DECK CARE:

This board is manufactured with UV Resistant PVC to provide superior protection from ultraviolet light. However, to ensure extra years of flexibility and bright colors, avoid storing the board where it will be exposed to weather or in direct sunlight. Please review the following list for storage and board care tips.

1. Before storing, hose off the Floating Deck and let it dry completely to prevent mildew buildup. Do not use harsh chemicals for cleaning. Most dirt can be removed with a mild soap and fresh water.
2. Do not store in extreme conditions (above 150F or below -10F). Store in a clean dry place.
3. When storing the board for prolonged periods in a deflated status it is best to keep it loosely rolled, or if possible unroll it completely. Do not leave the Floating Deck in direct sunlight as this may cause fading over a prolonged period.

Your new Floating Deck is made from durable PVC. If a tear or puncture does occur, PVC is easy to repair. Repairs are easily done with your included patch kit. Read the following paragraphs for leak detection and repair tips.

AIR LEAK DETECTION:

1. If you are losing air pressure, not caused by colder temperatures, check the board for leaks, starting with the valves. A leaking valve is rare, but if you do find a leak a replacement valve is available to order.
2. To locate a leak, we recommend a mixing of soap and water in a spray bottle. Spray around the valve. If you see bubbles forming, check your valve seating and base and be sure the valve insert is screwed tight.
3. If you can continue to have problems, it is probably time to order a new valve. Contact Customer Service for a replacement.

WARRANTY INFORMATION:

Blue Water warrants this product to be free from major defects in material or workmanship to the original purchaser for a period of one (1) year from the date of the purchase. This warranty is subject to the following limitations:

1. The warranty is valid only when this product is used for normal recreational activities and does not cover products used in rental or school operations.
2. Blue Water Toys will make the final warranty determination, which may require inspection.
3. If a product is deemed to be defective by Blue Water, the warranty covers the repair or replacement of the defective product only. Blue Water Toys will not be responsible for any costs, losses, or damages incurred as a result of loss or use of the product.
4. The warranty does not cover damage caused by improper use.
5. This product must not be modified and/or fitted with a motor.
6. This product must not be used in excess of the manufacturer's recommended maximum load capacity.
7. This warranty is void if any unauthorized repair, change or modifications has been made to any part of the equipment.
8. The warranty of any repaired or replacement equipment is good from the date of the original purchase only.
9. The original purchase receipt must accompany all warranty claims. The name of the retailer and date of purchase must clear and legible.
10. There are no warranties that extend beyond the warranty specified.

This product is designed in accordance with standards for a specific use. Any modifications to the product will void the warranty and could result in serious risks for the user.

For replacement parts and technical questions, please call **1-952-953-6140**.

WARRANTY

One-year limited parts warranty

